




NASTRI TRASPORTATORI

CONVEYOURS / TRANSPORTEUR / CINTAS TRANSPORTADORAS



[scheda tecnica >>](#)



NASTRI TRASPORTATORI


CONVEYOURS / TRANSPORTEUR / CINTAS TRANSPORTADORAS


TIPO		500	650	800	1000
LARGHEZZA DEL NASTRO WIDTH OF THE BELT LARGEUR DE LA BANDE ANCHURA DE LA CINTA		500	650	800	1000
VELOCITÀ DEL NASTRO AL 1' SPEED OF BELT PER MINUTE VITESSE DU RUBAN À LA 1' VELOCIDAD DE LA CINTA A 1'	Mt	42	50	50	50
PORTATA MASSIMA ORARIA MAX CAPACITY PER HOUR PORTÉE MAX HORAIRE CAPACIDAD MÀXIMA POR HORA	m³	25	50	70	90
PULEGGIA: DIAMETRO X FASCIA PULLEY: DIAMETER X WIDTH POULIE: DIAMETER X LARGEUR POLEA : DIÀMETRO X ANCHURA		300 x 36	300 x 52	300 x 68	300 x 68
PESO GRUPPO TRAZIONE WEIGHT OF DRIVING GROUP POIDS GROUPE DE TRACTION PESO GRUPO DE TRACCION	Kg	170	200	220	235
PESO GRUPPO TENSIONE WEIGHT OF TENSIONING GROUP POIDS GROUPE DE TENSION PESO GRUPO DE TENSION	Kg	85	100	115	130
PESO TRASPORTATORE AL METRO WEIGHT OF TRANSPORTING BAND PER METER POIDS TRANSPORTEUR PAR MÈTRE PESO TRANSPORTADOR POR METRO	kg	70	85	95	110
POTENZA ASSORBITA PER METRO DI LUNGHEZZA REQUIRED POWER FOR EACH LINEAR METRE PUISSANCE ABSORBÉE PAR MÈTRE DE LONGUEUR POTENCIA ABSORBIDA POR CADA METRO DE LONGITUD	KW HP	0,07 0,10	0,08 0,12	0,12 0,15	0,14 0,20
DIMENSIONI D'INGOMBRO DIMENSIONS ENGOMBREMENT DIMENSIONES	A B C	155 500 810	115 650 960	180 800 1160	180 1000 1360





CASSONI ALIMENTATORI


BOX FEEDERS / DISTRIBUTEURS – DOSEURS / CAJONES ALIMENTADORES



TIPO	PORTATA	LUNGHEZZA	LARGHEZZA	ALTEZZA
	M ³			h
27	27	4/12000	2050	1800

TYPE	CAPACITY	LENGHT	WIDTH	HEIGHT
	M ³			h
27	27	4/12000	2050	1800

TYPE	PORTÉE	LONGUEUR	LARGEUR	HAUTEUR
	M ³			h
27	27	4/12000	2050	1800

TIPO	VOLUMEN	LARGURA	LARGUEZA	ALTURA
	M ³			h
27	27	4/12000	2050	1800