



PRESSA IDRAULICA AUTOMATICA STAMPI GESSO/METALLO

HYDRAULIC PRESS FOR PLASTER / METAL MOULDS – PRESSES HYDRAULIQUES POUR PLATRE / METAL
MOULES – PRENSAS HIDRAULICAS PARA MOULDE DE YESO Y METAL



[scheda tecnica >>](#)



TORNIO PRESSA SOTTOSQUADRO STAMPI IN METALLO / GESSO

PRESS FOR UNDERCUT FOR PLASTER / METAL MOULDS – PRESSES POUR CREAX FERME POUR PLATRE / METAL MOULES – PRENSAS HIDRAULICAS PARA MOULDE DE YESO Y METAL



[scheda tecnica >>](#)




TIPO		330	430	530
DIAMETRO MAX FOGGIATURA DIAMETER MAX DIAMETRE MAX DIAMETRO MAX	mm	330	430	550
ALTEZZA MAX FOGGIATURA MAX HEIGHT MAX HAUTEUR MAX ALTURA	mm	330	430	550
CORSA VERTICALE STROKE VERTICAL COURSE VERTICAL RECORRIDO VERTICAL	mm	950	1100	1500
CORSA SOTTOSQUADRO UNDERCUT STROKE CORSE DE SOUS EQUERRE RECORRIDO SICAVADO	mm	150	200	200
CENTRALINA OLEODINAMICA SWITCHBOARD OLEO DYNAMIC TABLEAU OLEO-DYNAMIQUE CUADRO OLEO-DINAMICO	HP	15	20	30
CAMPANA PORTASTAMPI BELL FOR MOULD CLOCHE POUR MOULES CAMPANA POR MOULDES	mm	370	420	620
INGOMBRO DIMENSIONS DIMENSIONS DIMENSIONES	m	0,9 x h 2,6 x 1,5	1,35 x h 2,8 x 2,3	1,5 x h 3,85 x 2,9
PESO WEIGHT POIDS PESO	Tonn	Ca. 2,5	Ca. 3	Ca. 5,2

SCHEDA MOTORI / MOTOR / MOTEUR / MOTOR				
POTENZA ASSORBITA POWER PUISSANCE POTENCIA	KW	11	15	26
TENSIONE TENSION TENSION TENSION	V	380	380	380
CORRENTE CURRENT COURANT CORRIENTE	A	23	31	54



PRESSA ROTATIVA STAMPI IN METALLO MECCANICA

ROTATIVE PRESS FOR METAL MOULDS – ROTATIVES PRESS POUR METAL MOULE –
FORMADORAS GIRATORIAS PARA MOULDE DE METALOS



	MECCANICA	
MOTORE AUTOFRENANTE SELF-BRAKING MOTOR	2 HP – kw 1,5	Moteur auto-freinage Motor auto-frenazo
PRODUZIONE PEZZI / ORA PRODUCTION PIECES PER HOUR	600	Production pcs/h Producción pz/h
DIAMETRO MAX MAX DIAMETER	220 mm	Max diametre Max diametro
ALTEZZA MAX HEIGHT MAX	140 mm	Hauteur max Altura max
DIMENSIONI DIMENSIONS	770 x 780 x h 1950 mm	Dimensions Dimensiones
PESO WEIGHT	340 kg	Poids Peso



PRESSA ROTATIVA STAMPI IN METALLO MECCANICA

ROTATIVE PRESS FOR METAL MOULDS – ROTATIVES PRESS POUR METAL MOULE –
FORMADORAS GIRATORIAS PARA MOULDE DE METALES



	MECCANICA	
POTENZA MOTORI MACCHINA MACHINE ENGINES POWER	2 HP – kw 1,5	Moteur auto-freinage Motor auto-frenazo
DIMENSIONI MAX OGGETTI DIMENSIONS MAX OBJECTS	600	Production pcs/h Producción pz/h
DIMENSIONI DIMENSIONS	220 mm	Max diámetro Max diametro
PESO WEIGHT	140 mm	Hauteur max Altura max
VELOCITA REGOLABILE ADJUSTABLE SPEED	770 x 780 x h 1950 mm	Dimensions Dimensiones
TEMPO DI PRESSATURA E RIPOSO REGOLABILI ADJUSTABLE PRESSING AND STATIONARY TIME	340 kg	Poids Peso



PRESSA OLEODINAMICA PER STAMPI IN GESSO/METALLO APRIBILI

OLEO-DYNAMIQUE PRESS FOR OPENING PLASTER/METAL MOULDS – PRESS OLEODINAMIQUE POUR
OUVRANT PLASTRE/METAL MOULES – PRENSAS OLEO-DINAMICO PARA MOULDE DE YESO Y METAL



[scheda tecnica >>](#)



PRESSA OLEODINAMICA PER STAMPI IN GESSO/METALLO APRIBILI

OLEO-DYNAMIQUE PRESS FOR OPENING PLASTER/METAL MOULDS – PRESS OLEODINAMIQUE POUR OUVRANT PLASTRE/METAL MOULES – PRENSAS OLEO-DINAMICO PARA MOULDE DE YESO Y METAL

	A 75 TON	
DIMENSIONI MAX OGGETTI DIMENSIONS MAX OBJECTS	mm Ø 450 – h 300	DIMENSIONS MAX DES ARTICLES DIMENSIONES MAX DE LOS OBJETOS
LARGHEZZA WIDTH	1670 mm	LARGEUR ANCHO
LUNGHEZZA LENGTH	1100 mm	LONGUEUR LARGO
ALTEZZA HIGHT	3690 mm	HAUTEUR ALTURA
LUCE TRA I PIANI LIGHT BETWEEN SURFACES	1700 mm	DISTANCES ENTRE LES PLANS LUZ ENTRE LOS PLANOS
PIANI SURFACES	900 x 1200	PLAQUE PLANOS
CORSA PISTONE PISTON STROKE	750 mm	COURSE DU PISTON CORRIDA DEL PISTON
Ø CILINDRO Ø CYLINDER	200 mm	Ø CYLINDRE Ø CILINDRO
PESO WEIGHT	4100 kg	POIDS PESO
SERBATOIO OLIO OIL TANK	180 lt	RESERVOIR HUILE TANQUE ACEITE
ALTEZZA DISTANZIATORE HEIGHT OF SPACER	esluso	HAUTEUR DE L'ENTRETOISE ALTURA DEL DISTANCIADOR
MOTORE MOTOR	5,5 kW	MOTEUR MOTOR